Responses to the Attorney General's Fifth Set of Information Requests

Request No. AG-5-5 (Electric)

Please provide a schedule listing each allocation factor used in the various accounting cost of service studies (JLH-2-1 and JLH-2-2) and identifying each account or item in the cost of service that is allocated based on the factor. If different acronyms are used for the same allocator, please provide a list of the acronyms that have common underlying calculations.

Response:

The following is a list of each allocation factor used in JLH-2-1 and the page and line reference in the cost of service study. JLH-2-2 used the same allocators as JLH-2-1.

JLH-2-1 and JLH-2-2 Allocators – Page 22	JLH-2-1 and JLH-2-2 <u>Items Allocated</u> <u>Page</u> <u>Line</u>	
DEMPROD	2 9	3 1
DEMTRAN	2 8	5 – 10 3 – 4
DTRANLD	9	4
DSUBTSUB	2	12 – 14
DEMPRI	3 3	1 4
DEMSEC	3 3	2 5
DDISTLD	10	2
DEMPRIU	3 3	7 10
DEMSECU	3 3	8 11

Responses to the Attorney General's Fifth Set of Information Requests

JLH-2-1 and JLH-2-2 Allocators – Page 23		and JLH-2-2 Allocated Line
DEMSECTR	3	13
ENERGY	6	15
Allocators – Page 24	<u>Page</u>	<u>Line</u>
CUST902	11	3
CUST903	11 11	4 6
CUST908	11	20 – 22
CUST909	11	23 – 24
CUST370	3	15
CUST371	3	16
CUST373	3	17
CUSTDEP	7 15	10 14
CUST450	8	6
CUST369	3	14
CUST451	8	7
CUST903C	11	5

Responses to the Attorney General's Fifth Set of Information Requests

JLH-2-1 and JLH-2-2 Allocators – Page 25		and JLH-2-2 Allocated Line
PLANT	7 7 7 12 13 15 16	1 3-5 7-8 8-9 3-6 7-8 6
LABOR	2 4 12 15 15 15	1 1 - 13 12 - 16 1 - 3 5 - 6 10 - 11 15
TRDISPLT	6 8 8	13 2 11
GEEXP	12	34
OTOMINF	12	33
PLT303	5 13	1 1
ТОТОМ	NOT	USED
PLT352	5 9 13	3 12 10

Responses to the Attorney General's Fifth Set of Information Requests

JLH-2-1 and JLH-2-2 Allocators – Page 25		nd JLH-2-2 <u>Allocated</u> <u>Line</u>
PLT353	5 9 13	4 13 11
PLT361	5 10 13	8 13 15
PLT362	5 10 13	9 14 16
PLT364	5 8 13	10 10 17
PLT368	5 10 13	14 17 21
PLT370	5 8 10 10	16 8 7 19
PLT373	13 5 10 10 13	23 18 6 18 25
OMLAB	12	32
MATSUP	NOT	USED
PLT351	5 13	2 9

Responses to the Attorney General's Fifth Set of Information Requests

JLH-2-1 and JLH-2-2 <u>Allocators – Page 25</u>		nd JLH-2-2 <u>Allocated</u> <u>Line</u>
PLT355	5 13	5 12
PLT356	5 13	6 13
PLT390.2	6 14	1 2
PLT393	14	4
PLT365	5 13	11 18
PLT366	5 13	12 19
PLT367	5 13	13 20
PLT369	5 13	15 22
PLT371	5 13	17 24
PLT3900	14	1
PLT391	6 14	2 3
PLT392	6	3
PLT394	6 14	4 5
PLT395	6 14	5 6

Responses to the Attorney General's Fifth Set of Information Requests

JLH-2-1 and JLH-2-2 Allocators – Page 26		and JLH-2-2 Allocated <u>Line</u>
TRANPLT	9 9	7 – 9 15
DISTPLT	10 10 20	9 – 10 20 – 21 14
GENPLT	6 12 14	9 29 – 30 10
INTANPLT	NOT	USED
EXP573	17	11
EXP561	17	2
EXP562	17	3
EXP563	17	4
EXP566	17	5
EXP569	17	8
EXP570	17	9
EXP571	17	10
TCSERV	13	2
PLT396	6 14	6 7
PLT397	6 14	7 8

Responses to the Attorney General's Fifth Set of Information Requests

JLH-2-1 and JLH-2-2 Allocators – Page 26		nd JLH-2-2 <u>lllocated</u> <u>Line</u>
PLT398	6 14	8 9
EXP589	18	10
Allocators – Page 27	<u>Page</u>	<u>Line</u>
EXP582	18	3
EXP583	18	4
EXP584	18	5
EXP585	18	6
EXP586	18	7
EXP587	18	8
EXP588	18	9
EXP591	18	13
EXP592	18	14
EXP593	18	15
EXP594	18	16
EXP595	18	17
EXP596	18	18
EXP597	18	19
EXP598	18	20

Responses to the Attorney General's Fifth Set of Information Requests

JLH-2-1 and JLH-2-2 Allocators – Page 27	JLH-2-1 and JLH-2-2 <u>Items Allocated</u> <u>Page</u> <u>Line</u>	
EXP902	19	2
EXP903	19	3
EXP904	11	13 – 14
EXP908	19	7
EXP920	20	1
EXP921	20	2
EXP925	20	5
EXP926	7 20	2 6
EXP930.1	NOT	USED
EXP930.2	20	8
EXP905	19	4
EXP909	19	8
EXP9024	11	16
EXP935	20	11
EXP581	18	2
EXP923	20	3
EXP924	20	4
EXP928	20	7

Responses to the Attorney General's Fifth Set of Information Requests

JLH-2-1 and JLH-2-2 Allocators – Page 27		and JLH-2-2 Allocated Line
EXP931	20	9
EXP9245	12	11
Allocators – Page 28		
LABCS	19	6
LABCA	19	1
LABTM	17	7
LABTO	17	1
LABDO	18	1
LABDM	18	12
TLABTO	9	3
TLABTM	9	11
TLABDO	10	1
TLABDM	10	12
TLABCA	11	1 – 2
TLABCS	11	18 – 19
PLT3659	7	6
PLT3523	9	5
PLT3556	9 9	6 14

Responses to the Attorney General's Fifth Set of Information Requests

JLH-2-1 and JLH-2-2 Allocators – Page 28	JLH-2-1 and JLH-2-2 <u>Items Allocated</u> <u>Page</u> <u>Line</u>	
PLT3612	10	3
PLT3645	10 10	4 15
PLT3667	10 10	5 16
PLT3690	10	8
REVCLAIM	12 12 12 12 13	1 – 7 10 17 – 20 22 – 27 7
Allocators – Page 29		
C904R	11	8
C904SGS	11	9
C904RGS	11	10
C904LGS	11	11
C904OL	11	12

Responses to the Attorney General's Fifth Set of Information Requests

Response to AG-5-5 (Electric), continued

The following allocators have common underlying calculations:

DTRANLD - Transmission Load Dispatching
DDISTLD - Distribution Load Dispatching

DEMPRI - Demand Primary Overhead
DEMPRIU - Demand Primary Underground

DEMSEC - Demand Secondary Overhead
DEMSECU - Demand Secondary Underground

CUST908 - Allocator Acct. 908 Customer Assistance Exp. - Allocator Acct. 909 Informational & Instruct. Exp.

CUST371 - Allocator Acct. 371 Installations on Customer

Premises

CUST373 - Allocator Acct. 373 Street Lighting & Signal

System

Person Responsible: James L. Harrison